

Safety Data Sheet according to (EC) No. 1907/2006

Day of issue: 26 November 1997

Day of revision: 10 November 2008

1. Identification of the substance/preparation and of the company/undertaking

Trade names

DAB Tablets fizzing buffer pH 5, cat. no. 4150

Use

For research and analysis (ELISA).

Manufacturer/Supplier

See below.

Telephone/Telefax

See below.

Emergency telephone

+45 39 27 17 71

Responsible person for the safety data sheet (e-mail):

Rasmus Broen Pedersen, ALTtox a/s (rbp@alttox.dk)

2. Hazards identification**Particular information pertaining specific risk for human and environment**

Toxic tablets that may impair fertility and may cause harm to the unborn child.

Classification: Repr Cat 2;R60-61**3. Composition/Information on ingredients**

% w/w	Chemical name	CAS no.	EINECS/ELINCS	Classification
10-20	Boric acid	10043-35-3	233-139-2	Repr Cat 2;R60-61
5-10	DAB*	7411-49-6	231-018-9	Xn;R22

* 3,3'-Diaminobenzidine tetrahydrochloride dihydrate

Wording of R-phrases - see section 16.

4. First-aid measures**Eye contact**

Flush thoroughly with water or physiological salt water, holding eye lids open.

Remember to remove contact lenses, if any. If irritation persists: seek medical advice.

Skin contact

Remove all contaminated clothing and wash subsequently with water and soap.

Inhalation

Go to fresh air. Keep at rest. If person feels queasy/discomfort: seek medical advise.

IngestionRinse mouth and drink plenty of water. **Do not induce vomiting.** If vomiting occurs keep the head down to prevent vomit getting into the lungs. Call an ambulance.**Information**

Show this Safety Data Sheet to a physician or emergency ward.

Trade name: **DAB Tablets fizzing buffer pH 5****5. Fire-fighting measures****Flammability**

Combustible.

Extinguishing media - suitable

Use water, dry chemical, foam or carbon dioxide.

Extinguishing media - NOT suitable

-

Special risks in a fire situation

At fire the product may form hazardous decomposition products.

Protective equipment

When extinguishing fires use breathing apparatus with an independent source of air.

Additional information

Remove containers if possible

6. Accidental release measures**Personal precautions**

Provide for sufficient ventilation/respiratory protection.

See protective equipment listed in section 8.

Environmental precautions

Do not empty into drains. If the product contaminates sewages, inform appropriate authorities in accordance with local regulations.

Methods for cleaning up/collecting

Collect spilled material and place it in a closed container for disposal. Subsequently wash area with plenty of water. Further handling of spillage - see section 13.

7. Handling and storage**Safe handling**

See section 8.

Safe storage

In a well closed container, protected against moisture. Do not remove the included drying capsule. Store at 4°C (short time storage). For long time storage: at -20°C.

Specific use(s):

See section 1.

8. Exposure controls and personal protection**Engineering measures (prevention of worker exposure)**

Avoid breathing tablet dust. Avoid contact with skin, eyes and clothes. Immediately wash contaminated skin. After use wash with plenty of water and soap.

The employer shall assess the working conditions and, if there is any risk to the safety or health and any effects on the pregnancy or breastfeeding of workers, take the necessary measures to adjust the working conditions (Directive 92/85/EEC).

Exposure limits: -**Personal protective equipment****Eye protection:** Wear close-fitting safety goggles when risk of splashes during manufacture of solution.**Skin protection:** Not required when forceps is used. Otherwise use gloves of nitrile rubber.

Breakthrough time: approximately 3 hours.

Respiratory protection: Not required if used at proper ventilation.**Environmental exposure controls: -**

Trade name: **DAB Tablets fizzing buffer pH 5**

9. Physical and chemical properties

Appearance:	Fizzing tablets
Odour:	-
pH:	-
Boiling point (°C):	-
Flash point (°C):	-
Density (g/ml):	-
Solubility in water:	Soluble

10. Stability and reactivity

Stability

Stable.

Conditions to avoid

Avoid heating and moisture (will initiate the fizzing process).

Materials to avoid

Avoid contact with combustible materials and metals (metals works as catalysts for the oxidation process).

Hazardous decomposition products

At fire the product may form hazardous decomposition products.

11. Toxicological information

Routes of exposure: May be absorbed by inhalation and ingestion.

Acute toxicity:

Eyes: May cause irritation.

Skin: May cause irritation.

Inhalation: Inhalation of tablet dust can cause irritation of the respiratory tract. Symptoms can be coughing and shortness of breath (asthma).

Ingestion: May cause irritation of the gastrointestinal tract and in large doses: diarrhea, vomiting, stomach ache and convulsions.

Long term toxicity: Boric acid may impair fertility and may cause harm to the unborn child.
3,3'-Diaminobenzidine tetrahydrochloride dihydrate is not listed on any of the official lists of carcinogens, but the substance is suspected of causing cancer. Serious damage on liver, kidneys and brain.

12. Ecological information

Ecotoxicity:

-

Mobility:

Soluble.

Persistence and degradability:

-

Bioaccumulative potential:

-

Other adverse effects:

-

13. Disposal considerations

Disposal should be according to local, state or national legislation. Dispose of through authority facilities or pass to chemical disposal company.

EWC-code: 16 05 08

Trade name: **DAB Tablets fizzing buffer pH 5****14. Transport information****Road/Rail (ADR/RID)**

Class : -
UN No. : -
Proper Shipping Name: -

15. Regulatory information**Classification according to EEC directives**

EINECS no.: -

Danger symbol and danger designation:

Toxic

Contains: Boric acid

Risk-phrases: R 60: May impair fertility.
R 61: May cause harm to the unborn child.

Safety-phrases: S 53: Avoid exposure - obtain special instructions before use.
S 45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Restricted to professional users.

Restriction on application

Restricted use: must not be used by persons under 18 years of age.
Restricted to professional users.

16. Other information**R-phrases mentioned in section 3:**

R 22: Harmful if swallowed.
R 60: May impair fertility.
R 61: May cause harm to the unborn child.

Requirements concerning special training

No special training is anticipated, however, the user should be well instructed for the execution of his task, have knowledge of this Safety Data Sheet and normal training in the use of personal protective equipment.

Edition no.: 07**(Revision) Date:** 10 November 2008**Changes in section(s):**

1, 2, 3, 4, 7, 8, 11, 13, 15 and 16

This Safety Data Sheet was created by:

Altox a/s - Godthaabsvej 177 - DK-2720 Vanløse - Denmark
Tel. +45 38 34 77 98 - Fax +45 38 34 77 99 /RBP - Quality control: PW